



नेपाल सरकार

स्वास्थ्य मन्त्रालय

भरतपुर अस्पताल, चितवन

दरभाउपत्र सम्बन्धी सूचना

(प्रथम पटक प्रकाशित मिति २०७४।०७।१७)

यस अस्पताल लाई चालु आ.व. ०७४।०७५ सम्मको लागि तपशिलमा उल्लेखित सामानहरुको प्रति ईकाई दररेट माग गरी खरिद गर्नुपर्ने भएकोले मु.अ.क.मा दर्ता भएका इच्छुक ईजाजत प्राप्त सप्लायर्स, विक्रेता तथा व्यवसायीहरुले,रितपूर्वकको दरभाउपत्र तपशिलको शर्तहरु पालना हुने गरी यस अस्पतालको **Website- [www.bharatpurhospital.gov.np](http://www.bharatpurhospital.gov.np)** को eProcurement System मार्फत पेश गर्नु हुन यो सूचना प्रकाशित गरिएको छ ।

**शर्तहरु:**

१. आ.व. २०७३/०७४ का लागि नविकरण भएको इजाजतपत्रदर्ता र मु.अ.कर दर्ता सहितको स्थायी लेखा नं. प्रमाण पत्रको प्रमाणित प्रतिलिपी संलग्न राखिनिवेदनदिई यस अस्पतालको Website <http://www.bharatpurhospital.gov.np>कोeProcurement System मा गई TOR download गर्न सकिनेछ । TOR खरीद गर्न सूचना प्रकाशित भएको मितिले तपशिल अनुसारको रकम, उल्लेखित मिति र समयमा यस अस्पतालको रा.वा.बैंक भरतपुरमा रहेको चल्तीखाता नं.१३१००००९६७०१ मा जम्मा गरी खरीद गर्न सकिनेछ ।
२. दरभाउपत्र पेश गर्दा जमानत वापत तपशिलमा उल्लेखित रकम को.ले.नि.का.चितवनको रा.वा.बैंक, भरतपुर शाखामा रहेको ख ३ धरौटी १३१०२०३०००००० खातामा रकमजम्मा गरेको सककल बैंक भौचर वा कम्तिमा १२० दिन म्याद भएको यस अस्पतालको नाममा जारी भएको विड वण्ड पेश गर्नुपर्नेछ ।
३. खरीद भएको दरभाउपत्र तपशिलमा उल्लेखित मिति र समयमा यस अस्पतालको Website <http://www.bharatpurhospital.gov.np>को eProcurement System मा गई बैंक भौचर, विडवण्ड, BOQ समेतका कागजात Scan गरी Upload गरी सक्नुपर्नेछ । Upload भएका दरभाउपत्रहरु तपशिलमा उल्लेखित मिति र समयमा यस अस्पतालमा दरभाउपत्रदाता वा निजको प्रतिनिधिको रोहवरमा खोलिने छ । प्रतिनिधि उपस्थित नभएपनि दरभाउपत्र खोल्न वाधा पर्ने छैन । दरभाउपत्र खरीदगर्ने वा दर्ता गर्ने अन्तिम दिन विदा पर्न गएमा सोको भोलिपल्ट क्रमश उक्त कार्य हुनेछ ।
४. दरभाउपत्र दाताले कबोल गरेको प्रत्येक आइटमको दररेटलाई (मु.अ.कर बाहेक) अंक र अक्षरमा स्पष्टसँग उल्लेख गर्नुपर्नेछ । अंक र अक्षरमा उल्लेखित दररेटमा भिन्नता भएमा अक्षरलाई मान्यतादिइने छ ।
५. दरभाउपत्र दाताले कबोल गरेको दरभाउपत्रमा तोकिएको परिमाण मापदण्ड अनुसार र समयमा सामान सप्लाई गर्न नसकेमा बजारबाट सिधै खरीद गरिनेछ । त्यसरी खरीद गर्दा दरभाउपत्रमा उल्लेख गरिएको मुल्यभन्दा बढी पर्न गएमा दरभाउपत्र दाताको धरौटी रकम वा भुक्तानी गर्न बाकि रकमबाट असुलउपर गरिनेछ ।
- ६) सप्लाई / निर्माण / विस्तार गरिने सम्पूर्ण सामानहरु स्पेसिफिकेशन वमोजिमको उच्च गुणस्तरको हुनपर्नेछ ।

  
Medical Superintendent



- ७) दरभाउपत्रमा उल्लेखित सामानहरु यस चालु आ.व. भित्र पटक पटक वा एकमुष्ट रुपमा खरीद गरिने छ । खरीद गरिने सामान घटी बढी हुन सक्नेछ ।
- ८) कुनै दरभाउपत्र स्वीकृत गर्ने वा नगर्ने वा आशिक रुपमा स्वीकृत गर्ने सम्पूर्ण अधिकार यस अस्पतालमा सुरक्षित रहनेछ ।
- ९) सप्लाई / निर्माण / विस्तार गरिएका सामानहरु निरिक्षण एव परिक्षण गर्दा समझौतामा उल्लेखित गुणस्तर वमोजिमका नभए समझौता रद्द गरिनेछ ।
- १०) समझौता गरी सामान सप्लाई नगर्ने फर्मलाई नियमानुसार कालोसूचीमा दर्ताको लागि सम्बन्धित निकायमा लेखि पठाइनेछ ।
- ११) दरभाउपत्र पेश गर्दा अस्वभाविक घटी/बढी दररेट कबुल गरेको पाईएमा आईटम वाईज घटी कबुल गर्ने ठेकेदारको दररेट स्विकृत गरिनेछ ।
- १४) थप जानकारीको लागि यस अस्पतालको जिन्सी शाखामा सर्म्पर्क राख्न सकिनेछ ।
- १५) शर्त रहेको, रीत नपुगेको तथा म्याद नाघी आएको दरभाउपत्र उपर कुनै कारवाही हनेछैन । एक फर्म वा सस्थाको नाममा खरिद गरिएको वोलपत्र अर्को फर्मको नामवाट जम्मा गर्न पाईने छैन ।
- १६) दरभाउपत्रदाताले आफू कालोसूचीमा नपरेको भनी स्वयं घोषणा पेश गर्नुपर्नेछ ।
- १७) यसमा नपरेका अन्य कुराहरु सार्वजनिक खरीद ऐन २०६३ र सार्वजनिक खरीद नियमावली २०६४ अनुसार हुनेछ ।

सि.नं.	ठे.नं.	विवरण	धरौटी रकम	दरभाउ दस्तुर	दरभाउपत्र खरिद गर्ने अन्तिम मिति	दरभाउ दाखिला गर्ने अन्तिम मिति	दरभाउपत्र खोले मिति	कैफियत
१	२८,०७४।०७५	एअर कण्डसन खरिद	५८०००।-	१०००।-	१५ औं दिनको ५।०० वजे	१६ औं दिनको १२।०० वजे	१६ औं दिनको २।०० वजे	

  
Medical Superintendent



**Technical Specification and Cost Estimation of 1 ton(12K) AC**

Technical Specifications				Qty	Unit	Vendor's Specification	Price	Amount
	Manufacturer:			1	Set			
	Country of Origin:							
	Made in:							
	Model No:							
	Type/ Brand:							
1	Power supply	Ph-V-Hz	220-240V~50Hz,1Ph					
2	Cooling	Capacity	Btu/h	< 12000				
		Input	W	1000 - 1100				
		Rated current	A	4.0 - 5.0				
3	Heating	Capacity	Btu/h	<12000				
		Input	W	1000 - 1100				
		Rated current	A	4.0 - 6.0				
4	Max. input consumption	W	1400					
5	Max. current	A	7.0 - 9.0					
6	Compressor	Model						
		Type		ROTARY				
		Brand						
7	Indoor fan motor	Model						
		Input	W	>50				
		Capacitor	uF	>2.0				
8	Indoor air flow((turbo)/Hi/Mi/Lo)	m3/h	540/460/350					
9	Indoor noise level((turbo)/Hi/Mi/Lo)	dB(A)	<45 /40 /35					
10		Net/Gross wt	Kg	8.0 -12.0				
11	Outdoor fan motor	Model						
		Input	W	67 - 76				
		Speed (HI)	r/min	700 - 900				
12	Outdoor noise level	dB(A)	<65					
13	Design pressure	MPa	<5					
14	Thermostat type		Remote Control					
15	Operation temperature	°C	15 - 35					
16	Room temperature	Indoor(cooling/ heating)	°C	15 - 35/0-32				
		Outdoor(cooling/heating)	°C	15-45/-5-27				
17	Application area	m2	15-25					
				<b>Sub Total</b>				
				13% Vat				

  
**Medical Superintendent**



Total (Rs.)

1. All the equipments should have minimum 1 years warranty against any manufacturing defects.
2. It is better to specify few words other than words like yes and comply
3. Authentic signature and stamp of the vendor to be placed on this specification is mandatory
4. Normal Delivery Time: 10 days
5. Should have Support & Maintenance Period for minimum 2 years.

### Technical Specification and Cost Estimation of 1.5 ton(18K) AC

S.N.	Technical Specifications				Qty	Unit	Vendor's Specification	Price	Amount
	Manufacturer:				10	Set			
	Country of Origin:								
	Made in:								
	Model No:								
	Type/ Brand:								
1	Power supply(V-Hz)		220-240V~ 50Hz						
2	Cooling	Capacity	Btu/h	< 18000					
		Input	W	1600 - 1800					
		Rated current	A	7.0 - 8.0					
3	Heating	Capacity	Btu/h	<18000					
		Input	W	1600 - 1800					
		Rated current	A	6.5 - 8.5					
4	Max. input consumption		W	2200					
5	Max. current		A	9.0 - 11.0					
6	Compressor	Model							
		Type		ROTARY					
		Brand							
7	Indoor fan motor	Model							
		Input	W	>80					
		Capacitor	uF	>2.5					
8	Indoor air flow((turbo)/Hi/Mi/Lo)		m3/h	800/630/510					
9	Indoor noise level((turbo)/Hi/Mi/Lo)		dB(A)	<50 /45/40					
10	Net/Gross weight		Kg	11.0 - 16					
11	Outdoor fan motor	Model							
		Input	W	80 - 110					

  
Medical Superintendent



		Speed (HI)	r/min	750 - 1000			
12	Outdoor noise level		dB(A)	<70			
13	Design pressure		MPa	<5			
14	Thermostat type		Remote Control				
15	Operation temperature		°C	15 - 35			
16	Room temperature	Indoor(cooling/ heating)	°C	15 - 35/0-32			
		Outdoor(cooling/heating)	°C	15-45/-5-27			
17	Application area		m2	25-42			
					<b>Sub Total</b>		
					13% Vat		
					<b>Total (Rs.)</b>		

**Notes:**

1. All the equipments should have minimum 1 years warranty against any manufacturing defects.
2. It is better to specify few words other than words like yes and comply
3. Authentic signature and stamp of the vendor to be placed on this specification is mandatory
4. Normal Delivery Time: 10 days
5. Should have Support & Maintenance Period for minimum 2 years.

**Technical Specification and Cost Estimation of 2 ton(24K) AC**

S.N.	Technical Specifications			Qty	Unit	Vendor's Specification	Price	Amount
	<b>Manufacturer:</b>			10	Set			
	<b>Country of Origin:</b>							
	<b>Made in:</b>							
	<b>Model No:</b>							
	<b>Type/ Brand:</b>							
1	Power supply (V-Hz)	220-240V~ 50Hz						
2	Cooling	Capacity	Btu/h	< 22000				
		Input	W	2000 - 2100				
		Rated current	A	9.0 - 10.0				
3	Heating	Capacity	Btu/h	< 23000				

  
**Medical Superintendent**



		Input	W	1900 - 2100			
		Rated current	A	8.0 - 10.0			
4	Max. input consumption		W	2700			
5	Max. current		A	11.0 - 13.0			
	Compressor	Type		ROTARY			
		Brand					
	Indoor fan motor	Input	W	>85			
		Capacitor	uF	>4			
8	Indoor air flow((turbo)/Hi/Mi/Lo)		m3/h	1100/950/880			
9	Indoor noise level((turbo)/Hi/Mi/Lo)		dB(A)	<50/48 /45			
10		Net/Gross weight	Kg	14 - 18			
		Input	W	115 - 150			
		Speed (HI)	r/min	800 - 1100			
11	Outdoor noise level		dB(A)	<70			
12	Thermostat type		Remote Control				
13	Operation temperature		°C	15 - 35			
14	Room temperature	Indoor(cooling/ heating)	°C	15 - 35/0-32			
		Outdoor(cooling/heating)	°C	15-45/-5-27			
15	Application area		m2	28-48			
					<b>Sub Total</b>		
					13% Vat		
					<b>Total (Rs.)</b>		

**Notes:**

1. All the equipments should have minimum 1 years warranty against any manufacturing defects.
2. It is better to specify few worlds other than words like yes and comply
3. Authentic signature and stamp of the vendor to be placed on this specification is mandatory
4. Normal Delivery Time: 10 days
5. Should have Support & Maintenance Period for minimum 2 years.

  
Medical Superintendent



**Bharatpur Hospital**  
**Bharatpur, Chitwan**

**Air Condition आ.ब. 2074/2075**

SN	Generic	Unit	Quantity	दररेट		कैफियत
				अंकमा	अक्षरमा	
1	Air Condition (1 ton)	pc	1			
2	Air Condition (1.5 ton)	pc	1			
3	Air Condition ((2 ton)	pc	1			
Total						
VAT 13%						
Grand Total						

	<b>Name of Bidder:</b>	
	<b>Signature:</b>	
	<b>Date</b>	
	<b>Office Seal</b>	

  
Medical Superintendent